



MAH

04-17002

034 #3

PATENT
Case P-6252

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:)	
)	
SUJDAK, Lenny)	Group Art Unit: 3736
)	
Serial No.: 10/071,681)	Examiner: Unknown
)	
Filed: February 8, 2002)	
)	
For: EMERGENCY ECG ELECTRODE)	
CHEST PAD)	

**TRANSMITTAL OF SUBSTITUTE
SPECIFICATION**

Office of Initial Patent Examination
United States Patent and Trademark Office
Washington, D.C. 20231

Dear Sir:

Applicants respectfully request that the enclosed Specification, including claims and Abstract, be substituted for the original Specification, the latter of which was filed February 8, 2002. The enclosed substitute Specification is being submitted to correct the erroneous spacing of the original Specification, as objected to under 37 CFR 1.52 in the Notice to File Corrected Application Papers. A copy of the Notice is enclosed herewith. The corrected Specification contains no new matter, but merely corrects the spacing of the original Specification, as objected to in the Notice.

Please consider the corrected Specification as if filed as the original.



28465

PATENT TRADEMARK OFFICE

20071681-041102

Please note that the name of Applicant's attorney's law firm changed on April 8, 2002 from Piper Marbury Rudnick & Wolfe to Piper Rudnick. All previously submitted contact information remains the same.

Respectfully submitted,

PIPER RUDNICK

A handwritten signature in black ink, appearing to read 'Thomas W. Ryan', with a stylized, flowing script.

Thomas W. Ryan
Reg. No.43,072

Date: April 11, 2002
Piper Rudnick
P.O. Box 64807
Chicago, Illinois 60664-0807
(312) 368-4058

20071681-041102



CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail (EL178947381US) in an envelope addressed to: Office of Initial Patent Examination, United States Patent and Trademark Office, Washington, D.C. 20231 on April 11, 2002 (Date of Deposit).

Irene Boyer

(Print or type name of person signing the certificate)

Irene Boyer

(Signature of person signing the certificate)

4-11-2001

(Date of Signature)



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/071,681	02/08/2002	Lenny Sujdak	P-6252

CONFIRMATION NO. 4037

FORMALITIES LETTER



OC000000007780707

Thomas W. Ryan
Piper Marbury Rudnick & Wolfe
P.O. Box 64807
Chicago, IL 60664-0807

Date Mailed: 04/03/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
 - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

20071681-041102